

Iatrogenic Metal Burdens by David Quig, PhD

References

1. Chaturvedi TP et al. An overview of orthodontic material degradation in oral cavity. *Ind J Dent Res.* 2010;21:275-284.
2. Catalani S et al. Vanadium release in whole blood, serum and urine of patients implanted with a titanium alloy hip prosthesis. *Clin Toxicol.* 2013; Early online:1-7.
3. Savarino L et al. Differences in ion release after ceramic-on-ceramic and metal-on-metal total hip replacement. *J Bone Joint Surg.* 2006;88-B:472-476.
4. Sarmiento-Gonzalez A et al. Titanium levels in the organs and blood of rats with a titanium implant, in absence of wear, as determined by double-focusing ICP-MS. *Anal Bioanal Chem.* 2009;393:335-343.
5. Titanium, serum- Clinical Interpretive. Available online <https://www.mayomedicallaboratories.com/testcatalog/Clinical+and+Interpretive/89367> Accessed September 22, 2017.
6. Sampson B, Hart A. Clinical usefulness of blood metal measurements to assess the failure of metal-on-metal hip implants. *Ann Clin Biochem.* 2012;49:118-131.
7. Jantzen C et al. Chromium and cobalt ion concentrations in blood and serum following various types of metal-on-metal hip arthroplasties. *Acta Orthopaedica.* 2013;84:229-236.
8. Polyzois I et al. Local and systemic toxicity of nanoscale debris particles in total hip arthroplasty. *J Appl Toxicol.* 2012;32:255-269.
9. Levine BR et al. Ten-year outcome of serum metal ion levels after primary total hip arthroplasty. *J Bone Joint Surg Am.* 2013;95:5125-18.
10. Novak CC et al. Metal ion levels in maternal and placental blood following metal-on-metal arthroplasty. *J Arthroplast.* 2010;25:e54.
11. Hartman A et al. Metal ion concentrations in body fluids after implantation of hip replacements with metal-on-metal bearing- systematic review of clinical and epidemiological studies. *PLOS ONE* 2013;8:e70359.
12. Liao Y et al. CoCrMo metal-on-metal hip replacements. *Phys Chem Chem Phys.* 2013;15.
13. Sansone V et al. The effects on bone cells of metal ions released from orthopaedic implants – a review. *Clin Cases Min Bone Metab.* 2013;10:34-40.
14. Ordóñez YN. Metal release in patients with total hip arthroplasty by DF-ICP-MS and their association to serum proteins. *J Anal At Spectrom.* 2009;24:1037-1043.
15. Mayo Clinic. Cobalt, Chromium, Molybdenum, Titanium, Molybdenum, serum- Clinical Interpretive. Available online <https://www.mayomedicallaboratories.com/testcatalog/Clinical+and+Interpretive/89367> Accessed September 22, 2017.
16. Vidrio E et al. Generation of hydroxyl radicals from dissolved transition metals in surrogate lung fluid solutions. *Atmos Environ.* 2008;42:4369-4379.
17. Ladon D et al. Changes in metal levels and aberrations in the peripheral blood of patients after metal-on-metal hip arthroplasty. *J Arthroplast.* 2004;19:78-83.
18. Maines MD et al. Cobalt induction of hepatic heme oxygenase; with evidence that cytochrome P-450 is not essential for this enzyme. *PNAS* 1974;71:4293-4297.
19. Devoy J et al. Evaluation of chromium in red blood cells as an indicator of exposure to hexavalent chromium: an in vitro study. *Toxicol Lett.* 2016;255-63-70.
20. Fehring KA et al. Modes of failure in metal-on-metal total hip arthroplasty. *Orthop Clin N Am.* 2015;46:185-192.
21. Bradberry SM et al. Systemic toxicity related to metal hip prostheses. *Clin Toxicol.* 2014;52:837-847.
22. Tower S. Arthroprosthetic cobaltism: neurological and cardiac manifestations in two patients with metal-on-metal arthroplasty: a case report. *J Bone Joint Surg.* 2010;92:1-5.
23. Pelclova D et al. Severe cobalt intoxication following hip replacement revisions: clinical features and outcomes. *Clin Toxicol (Phila.).* 2012;50:262-265.
24. Moretti B. Peripheral neuropathy after hip replacement failure: is vanadium the culprit? *Lancet* 2012;379:2401-2500.
25. Steens W et al. Chronic cobalt poisoning in endoprosthetic replacement. *Orthopade.* 2006;35:860-864.
26. Llobet JM et al. Comparison of the effectiveness of several chelators after single administration on the toxicity, excretion and distribution of cobalt. *Arch Toxicol.* 1986;58:278-281.
27. Giampreti A et al. N-acetyl-cysteine as effective and safe chelating agent in metal-on-metal hip-implanted patients – two cases. *Case Reports in Orthopedics* 2016, article ID 8682737.
28. Levitskaia TG et al. Aminothiols for decorporation of intravenously administered ⁶⁰Co in the rat. *Health Phys.* 2010;98:53.
29. Hanneman A et al. European multidisciplinary consensus statement on the use and monitoring of metal-on-metal bearings for total hip replacement and hip resurfacing. *Ortho Traumatology: Surg Res.* 2013;99:263-271.
30. Gunther KP. Consensus statement: Current evidence on the management of metal-on-metal bearings. *Hip Int.* 2013;23:2-5.
31. Truman State University. Formation constants for metal-EDTA complexes. 2012 Available online <http://blamp.sites.truman.edu/files/2012/03/compexation-equilibria> Accessed September 12, 2016.
32. Llobet JM et al. Comparative effects of repeated parenteral administration of several chelators on the distribution and excretion of cobaltism. *Res Commun Chem Pathol Pharmacol.* 1988;60:225-233.
33. Roussel AM et al. EDTA chelation therapy, without added vitamin C, decreases oxidative DNA damage and lipid peroxidation. *Altern Med Rev.* 2009;14:56-61.